

12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com License#: 10029074C70

------ OF---- 40 00

## D8 Gummies 25mg 10-30-24

Sample ID: G4J0351-01 Test ID: 5027298

Matrix: Hemp Products

Source ID:

Date Sampled: 10/30/24

Date Accepted: 10/30/24

**Delta Alternatives** 

469-338-1580

#### **Results at a Glance**

Total THC: <LOQ (0.0005%) %

Total CBD: <LOQ (0.0005%) %

delta 8-THC: 0.9488 % PASS



Much Hunh



12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

### D8 Gummies 25mg 10-30-24

Sample ID: G4J0351-01

Matrix: Hemp Products

Test ID: 5027298 Source ID:

Date Sampled: 10/30/24

Date Accepted: 10/30/24

Delta Alternatives

469-338-1580

#### **Potency Analysis**

Analysis Method/SOP: 215 **Batch Identification: 2444059** Date/Time Extracted: 11/01/24 11:18 **Cannabinoids Profile** Cannabinoids LOQ (%) mg/g Total THC 0.0005 < LOQ Total CBD 0.0005 < LOQ THCA 0.0005 < LOQ delta 9-THC 0.0005 < LOQ delta 8-THC 0.0192 9.488 THCV 0.0150 < LOQ **THCVA** 0.0224 < LOQ CBD 0.0005 < LOQ **CBDA** 0.0005 < LOQ delta 8-THC 0.9 **CBDV** 0.0154 < LOQ Total: 0.9 **CBDVA** 0.0212 < LOQ < LOQ CBN 0.0138 CBG 0.0161 < LOQ 0.9 CBGA 0.0213 < LOQ CBC 0.0202 < LOQ

Total THC = delta 9-THC + (THCA \* 0.877)

Total CBD = CBD + (CBDA \* 0.877)

Total CBG = CBG + (CBGA \* 0.878)

LOQ=Limit of Quantification, the lowest measurable concentration of an analyte.

THCA, delta 9-THC, delta 8-THC, CBDA and CBD are accredited by TNI 2016 and ISO 17025



Muchon Hunky



12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com License#: 10029074C70

# Quality Control Potency

Batch: 2444059 - 215-Products

Blank(2444059-BLK1)								
Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes	
THCA	< LOQ	0.0021	%		11/01/24 11:18	11/01/24 16:55		
delta 9-THC	< LOQ	0.0021	%		11/01/24 11:18	11/01/24 16:55		
delta 8-THC	< LOQ	0.0788	%		11/01/24 11:18	11/01/24 16:55		
THCV	< LOQ	0.0615	%		11/01/24 11:18	11/01/24 16:55		
THCVA	< LOQ	0.0920	%		11/01/24 11:18	11/01/24 16:55		
CBD	< LOQ	0.0021	%		11/01/24 11:18	11/01/24 16:55		
CBDA	< LOQ	0.0021	%		11/01/24 11:18	11/01/24 16:55		
CBDV	< LOQ	0.0633	%		11/01/24 11:18	11/01/24 16:55		
CBDVA	< LOQ	0.0869	%		11/01/24 11:18	11/01/24 16:55		
CBN	< LOQ	0.0568	%		11/01/24 11:18	11/01/24 16:55		
CBG	< LOQ	0.0661	%		11/01/24 11:18	11/01/24 16:55		
CBGA	< LOQ	0.0876	%		11/01/24 11:18	11/01/24 16:55		
CBC	< LOQ	0.0829	%		11/01/24 11:18	11/01/24 16:55		

Reference(2444059-SRM1)								
Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes	
THCA	96.5	0.0049	%	90-110	11/01/24 11:18	11/01/24 17:18		
delta 9-THC	100	0.0049	%	90-110	11/01/24 11:18	11/01/24 17:18		
delta 8-THC	96.6	0.1881	%	90-110	11/01/24 11:18	11/01/24 17:18		
CBD	101	0.0049	%	90-110	11/01/24 11:18	11/01/24 17:18		
CBDA	106	0.0049	%	90-110	11/01/24 11:18	11/01/24 17:18		



Much Hunter



12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

## **Notes and Definitions**

Regulatory Compliance samples were collected onsite at facility according to SOP-402 and SOP-403 and following Sampling Plan FN117. Quality Control samples were tested as received.

Results do not include uncertainty of measurements. Available upon request.

ATM BLI	Non-cannabis matrix related interference or suppression of Internal standard  Baseline Interference - Cannabinoid peak interference in chromatographic baseline affecting QC recovery.
BLK	Analyte detected in method blank, but not associated samples.
BSH	Blank Spike High - Blank Spike recovery above method limit. no detections in samples.
BSL	Blank Spike Low - Blank Spike recovery below lower method limit, analyte chromatography reviewed
С	manually for all samples.
CBD	Interference due to co-elution
CV1	CBD matrix interference on GC Pest chromatography
CV2	CCV was above acceptance criteria, Non-detect samples are considered acceptable.
INF	CCV was below acceptance criteria, sample still exceeds regulatory limit.
ISH	One or more QC falls outside acceptance criteria. Data entered into LIMS for informational purposes only.
ISL	Internal Standard concentration is above acceptance criteria.
MSH	Internal Standard concentration is below acceptance criteria.
MSI	Matrix Spike High - Matrix Spike recovery above method limits.
MSL	Matrix Spike Interference - Matrix spike source sample contains analyte hit above calibration affecting
TPP	recovery accuracy in Matrix Spike.
U	Matrix Spike Low - Matrix Spike recovery below lower method limit, analyte chromatography reviewed

manually for all samples. Internal Standard concentration outside control limit due to matrix interference

